



Section 21 - Ringfeder 101 AUS Coupling




Item:	Part No:	Description:	Item:	Part No:	Description:
2	14991384	TOP GUIDE BUSH	43	12991533	SPLIT PIN
3	14991760	COUPLING BODY	44	14994455	PROTECTOR CAP
4	14991073	SAFETY CATCH	45A	14991262	HAND LOCKING LEVER SET DESIGN B
6	14991407	BOTTOM GUIDE BUSH	45B	14991376	HAND LEVER DESIGN B
7A	06998321	WEAR PLATE	48	9122900	SENSOR HOLE PLUG (10 PACK)
7B	09996770	WEAR PLATE (CAST IRON)	52	14991383	AXLE WITH LOCKING LEVER
11	07995610	RETURN SPRING			
12	14991399	TAB WASHER			
18	07998341	SPRING ARM			
23	14991375	COUPLING BOLT		101AUSKIT	REPAIR KIT
25	14991273	LOCKING SPRING			Consists of items 2, 6, 7A, 23, 43
26	14991367	END CAP CPL			
32	14991359	HEX SCREW M10 X 115, 10.9			
36	14994568	RUBBER SPRING (1 PAIR)			
37	14994472	THRUST WASHER			
38	14994463	MOUNTING FLANGE			
39	14994876	BEARING BUSH			
40	14994496	THRUST WASHER REAR			
42	6997732	CASTELLATED NUT M45X3			

Section 21 - Ringfeder 81G5 Coupling



Item:	Part No:	Description:	Item:	Part No:	Description:
2	00153087	TOP GUIDE BUSH (07998210)	36	7998325	BUSH RUBBER SHAFT (2 PACK)
3	06990479	MOUTH WITH SPLINED HANDLE	37	07995636	THRUST WASHER FRONT 96AUS
4	13998035	SAFETY CATCH (6997805)	38	05999154	BAR GUIDE
6	07998252	BOTTOM GUIDE BUSH	39	10991382	BUSH NYLON SHAFT (2 PACK)
7	06998321	WEAR PLATE (INC SCREWS & NUTS)	40	07995644	THRUST WASHER REAR 96AUS
7A	09996770	WEAR PLATE (CAST IRON)	41	10991374	WAVE WASHER M56
8	INC WITH ITEM 7	SCREW M8 X 40MM	42	06997783	CASTELLATED NUT M56 X 2MM
9	INC WITH ITEM 7	WASHER 8.4 MM	43	00066125	SPLIT PIN
10	INC WITH ITEM 7	NUT M8	44	10991323	END CAP
11	01027182	RETURN SPRING (7995610)	45	06991661	HANDLE LONG SPLINE STANDARD
12	01027190	RETAINING PLATE (7995628)			(Includes items 16, 19, 20, 22)
13	INC WITH ITEM 12	WASHER 10.5MM			
14	INC WITH ITEM 12	SCREW M10 X 45MM			
16	INC WITH ITEM 45	KNOB FOR HAND LEVER			
17	10991390	PIN		81G5KIT	REPAIR KIT
18	07998341	PAWL 81/G5			Consists of items 2, 6, 7, 23, 24, 25, 43
19	NO LONGER AVAILABLE. USE ITEM 45				
23	06990460	COUPLING BOLT (INC ITEM 24/25)			
24	12991460	LOCKING LEVER PIN			
25	13992274	LOCKING SPRING (7998171)			
26	06991645	TOP CAP			
32	06991670	SCREW M10 X 90MM			
33	INC WITH ITEM 32	NUT M10			
34	06991653	SCREW M8 X 12MM			

Section 21 - Ringfeder 96 AUS Coupling



Item:	Part No:	Description:	Item:	Part No:	Description:
2	00153087	TOP GUIDE BUSH (07998210)	39	14994876	BUSH NYLON SHAFT (2 PACK)
3	06990479	MOUTH WITH SPLINED HANDLE	40	14994496	THRUST WASHER REAR 96AUS
4	13998035	SAFETY CATCH	42	6997732	CASTELLATED NUT M45X3
6	00153079	BOTTOM GUIDE BUSH (07998252)	43	00066125	SPLIT PIN
7	06998321	WEAR PLATE (INC SCREWS & NUTS)	44	14994455	PROTECTOR CAP
7A	9996770	WEAR PLATE (CAST IRON)	45	06991661	HANDLE LONG SPLINE STANDARD
8	INC WITH ITEM 7	SCREW M8 X 40MM			
9	INC WITH ITEM 7	WASHER 8.4 MM			
10	INC WITH ITEM 7	NUT M8			
11	01027182	RETURN SPRING			
12	01027190	RETAINING PLATE			
13	INC WITH ITEM 12	WASHER 10.5MM			
14	INC WITH ITEM 12	SCREW M10 X 45MM			
16	INC WITH ITEM 45	KNOB FOR HAND LEVER			
17	00152315	PIN (10991390)		81G5KIT	REPAIR KIT
18	00152919	PAWL 81/G5 (07998341)			Consists of items 2, 6, 7, 23, 24, 25, 43
19	01444107	LOCKING LEVER (LIFT FINGER)			
23	06990460	COUPLING BOLT (INC ITEM 24/25)			
24	12991460	LOCKING LEVER PIN			
25	13992274	LOCKING SPRING			
26	06991645	TOP CAP			
36	14994568	BUSH RUBBER SHAFT (2 PACK)			
37	14994472	THRUST WASHER FRONT 96AUS			
38	14994463	BAR GUIDE			

Section 21 - Towing

FPA No	Description	Application	Alternate No
 BPSD002	Slick Disc Clip	Trailer	IT7399 20.7106.0 WT9602
 BPSD003	5th Wheel Slick Disc Includes Clip BPSD002 High Density Polyethylene Greaseless - No Mess Easy to Install	Trailer	IT7398 20.7105.0 WT9601
 FP53004	Draw Bar Eye Bush Split 50mm Standard Size O.D 60mm	General purpose eye bush Suits Ringfeder, VGB, Jeco type towing eyes.	16.888 WT53004
 FP53005	Draw Bar Eye Bush Solid 50mm Standard Size O.D 60mm	General purpose eye bush Suits Ringfeder, VGB, Jeco type towing eyes.	16.886 WT53005 01026933
 FP53006	Draw Bar Eye Bush Solid 50mm First Oversize O.D 60.2mm	General purpose eye bush Suits Ringfeder, VGB, Jeco type towing eyes.	WT53006



Section 21 - Towing

FPA No	Description	Application	Alternate No
 FP53007	Draw Bar Eye Bush Solid 50mm Second Oversize O.D 60.4mm	General purpose eye bush Suits Ringfeder, VGB, Jeco type towing eyes.	WT53007
 FP201031	40mm Weld in Tow Eye 65 X 60mm Weld Boss D-Value 120 Tonne Shipping Weight 7.8KG	JECO	ZJTROCK57374
 FP203031	50mm Weld in Tow Eye 65 X 60mm Weld Boss D-Value 120 Tonne Shipping Weight 10.2KG	JECO	OC50W01 ZJTROCK57272
 FP203583/M	50mm Demountable Eye Supplied with FP271000 Block, Nut, Washer & Split Pin D-Value 120 Tonne Shipping Weight 19.8KG	JECO	ZJTROCK57254
 FP271000	Block	Suit 50mm Demountable Towing Eye	


Section 21 - Towing

FPA No	Description	Application	Alternate No
 OC50W05	50mm Weld in Tow Eye 80 X 75mm Weld Boss 314 Tonne Shipping Weight 13.4kg	V ORLANDI	FP203141 ZJTROCK57394
 OC50R10	50mm Demountable Eye Supplied with Nut Washer and Pin 120 Tonne	V ORLANDI	FP203583/A ZJTROCK57292
 ZJTROCK57254	Tow Eye Bolt In 50mm Eye Complete with Block Rating 191kN	JOST	FP203583/M
 ZJTROCK57272	Towing Eye Weld In 50mm Eye Rating 191kN	JOST	FP203031 OC50W01
 ZJTROCK57292	Tow Eye Bolt In 50mm Eye No Block Rating 191kN	JOST	OC50R10 203583




Section 21 - Towing

FPA No	Description	Application	Alternate No
 ZJTROCK57293	Tow Eye Bolt In 40mm Eye No Block Rating 120kN	JOST	
 ZJTROCK57374	Towing Eye Weld In 40mm Eye Rating 120kN	JOST	FP201031
 ZJTROCK57394	Towing Eye Weld In 50mm Eye Heavy Duty Rating 314kN Solid Eye Bush	JOST	OC50W05 FP203141
York Drawbar Kit		GP A Frame Pivot Set Cheek Plate Style	
			
YK58DBK1			
York Drawbar Kit		GP A Frame Pivot Set End Housing Style	
			
YK58DBK2			





Section 21 - Towing

FPA No	Description	Application	Alternate No
	York Drawbar Kit	GP A Frame Pivot Set End Housing Style With Pivot Casting	
			
YK58DBK3			
	Outer Carrier Bush Standard Duty Major OD 96mm Minor OD 76.5mm Length 58mm	Used to Fabricate Drawbar Pivot Uses FP1101 Bush Used With 09.0651.0	
09.0301.0			
	Inner Carrier Bush Standard Duty Major OD 76mm Minor OD 67mm Length 98mm	Used to Fabricate Drawbar Pivot Uses FP1101 Bush Used With 09.0301.0	
09.0651.0			
	Outer Carrier Bush Heavy Duty Major OD 96mm Minor OD 76.5mm Length 58mm	Used to Fabricate Drawbar Pivot Uses FP1101 Bush Used With 09.0652.0	
09.0301.1			






Section 21 - Towing

FPA No	Description	Application	Alternate No
 09.0652.0	Inner Carrier Bush Heavy Duty Major OD 90mm Minor OD 64mm Length 98mm	Used to Fabricate Drawbar Pivot Uses FP1101 Bush Used With 09.0301.1	
 FPTL001	Twistlock Standard		ITTTL001
 FPTL002	Twistlock Long		ITTTL002
 FPTL004	Twistlock Guts Standard O.A.L. 175mm	REPLACEMENT PIN FOR FPTL001	ITTTL004
 ZJTKZ1008 ZJTKZ1010 ZJTKZ1012	Jost 2" King Pin Assembly For 8/10/12mm Skid Plate 1. ZJTKZ1012-01 Pin Only 2. ZJTKZ1008-02 Hsg 8mm 2. ZJTKZ1010-02 Hsg 10mm 2. ZJTKZ1012-02 Hsg 12mm 3. ZJTBOLTS Bolts (8)	JOST	






Section 21 - Towing

FPA No	Description	Application	Alternate No
 ZJTKZ1016	Jost 3-1/2" King Pin Assy D-Value 280kN 1 ZJTKZ1016-01 Pin Only 2. ZJTKZ1016-02 Plate 3. ZJTKZE1016-06 Bolt 2/3. ZJTKZ1016-04 Plate & Bolts Complete	JOST	
 ZJTKZ1412	Jost 3-1/2" King Pin Assy D-Value 163kN 1 ZJTKZ1412-01 Pin Only 2. ZJTKZ1008-02 8mm 2. ZJTKZ1010-02 10mm 2. ZJTKZ1012-02 12mm 3. ZJTKZE1012-03 Bolt	JOST	
 FPCAP273	Capus King Pin Only FPCAP273/10mm Assy FPCAP273/12mm Assy FPCAP152/4 Bolt Set (8)		
 HHKPT809	Holland Hitch Weld In King Pin Assy HHKPT809BF 12mm HHKPT809EF 8mm HHKPT809F 10mm SKID		
 FPEZH350	Ezi Turn Holland FW3500 Includes Bolt Kit and Installation Instructions		


Section 21 - Towing

FPA No	Description	Application	Alternate No
 FPEZH351	Ezi Turn Holland FW351 Includes Bolt Kit and Installation Instructions		
 FPEZEURO16B	Ezi Turn Holland FW342 Lo Lube Replacement Pads Includes Bolt Kit and Installation Instructions Will Suit Some Pro-Hitch FW351		
 FPEZJ32	Ezi Turn Jost JSK32 Includes Bolt Kit and Installation Instructions		
 FPEZJ36	Ezi Turn Jost JSK 36 Includes Bolt Kit and Installation Instructions		
 FPEZJ37	Ezi Turn Jost JSK37 Includes Bolt Kit and Installation Instructions		

Section 21 - Towing

FPA No	Description	Application	Alternate No
 JSK 38 FPEZJ38	Ezi Turn Jost JSK38 Includes Bolt Kit and Installation Instructions		
 JSK 37CZW FPEZJGL37	Ezi Turn Jost JSK37CZW Replacement Pads Includes Bolt Kit and Installation Instructions		ZJTSK3106/007
 O'ALL LENGTH 750mm YORK NEW BIG "D" Ezi-TURN FPEZNBD	Ezi Turn York BIG "D" LENGTH 750mm Includes Bolt Kit and Installation Instructions		
 O'ALL LENGTH 860mm (Original) YORK BIG "D" Ezi-TURN FPEZYBD	Ezi Turn York BIG "D" Original Length 860mm Includes Bolt Kit and Installation Instructions		
 K-HITCH Ezi-TURN FPEZKHFLEET	Ezi Turn K Hitch Includes Bolt Kit and Installation Instructions		





Section 21 - Towing

FPA No	Description	Application	Alternate No
 HHFW342	Holland FW342 Fifth Wheel Greaseless GCW 65,000kg D-Value 165kN	HOLLAND Please refer to your Holland Catalogue for Options	
 HHFW351A	Holland FW351 Fifth Wheel GCW 65,000kg D-Value 165kN	HOLLAND Please refer to your Holland Catalogue for Options	
 HHFW70	Holland FW70 Fifth Wheel Heavy Duty GCW 100,000kg D-Value 240kN (2" Version) D-Value 270kN (3" Version)	HOLLAND Please refer to your Holland Catalogue for Options	
 ZJTJSK36CV	Jost Fifth Wheel 2" D-Value 190kN Rubber Pad Mount Weight 157kg for 150mm Height	Tanker General Freight Fridge Van B-Double & Road Train Chassis Tippers JOST	
 ZJTJSK36DV1	Jost Fifth Wheel 2" Pressed Steel D-Value 170kN Pin & Bush Mount Weight 136kg for 150mm Height	General Freight Tipper Work For use with single trailers and B Double (Not Road Train) JOST	

Section 21 - Towing

FPA No	Description	Application	Alternate No
 ZJTJSK37CZ	Jost Fifth Wheel 2" With Bolt On or Weld On Feet D-Value 190kN Rubber Pad Mount Weight 145kg for 150mm Height	Tanker General Freight Fridge Van B-Double & Road Train JOST	
 ZJTJSK37CZW	Jost Fifth Wheel 2" Standard with Non Weldable Feet (Bolt On Feet Available) Rubber Pad Mount D-Value 190kN Weight 136kg for 150mm Height	Tanker General Freight Fridge Van B-Double & Road Train Stock Crate JOST	
 ZKHKA12C5022	K Hitch Fifth Wheel 2" Adjustable Jaw Fabricated Greaseless and Greaseable Models are Available in a Full Range of Heights Extra Wide Models are Available D-Value 195kN	K HITCH	
 ZKHKA12A5022	K Hitch Fifth Wheel 2" Adjustable Jaw Pressed Greaseless and Greaseable Models are Available in a Full Range of Heights D-Value 174kN	K HITCH	
 HHLGS3Z001	Holland MK5 LGS Leg Set Travel: 419mm Self Levelling Foot	Standard Landing Gear HOLLAND Refer to Holland Catalogue for all options	


Section 21 - Towing

FPA No	Description	Application	Alternate No
 HHLG5000	Holland LG5000 Leg Set Travel: 343/432/483mm Load Capacity 60,000kg	Premium, Heavy Duty Landing Gear HOLLAND Refer to Holland Catalogue for all options	
 HHLG700	Holland LG700 Leg Set Travel: Drop Section 356mm Screw Travel 304mm Total Travel 660mm Support Leg Capabilities: Lift Cap. - Rated 5,500kg Load Cap. 9,000kg	Light Commercial Foot Operated Handle that Lowers or Raises Drop Section HOLLAND	ZJTBPC0091405
 HHMK5	Holland MK5 Leg Set Travel: 343/419/447/475mm Load Capacity 63,500kg Feet Options: Compensating Wheel Self Levelling Standard Skid Rocker HD Skid	Standard Landing Gear HOLLAND Refer to Holland Catalogue for all options	
 YKA20787030	York Leg Set Many Types of Legs are available. Please refer to your York Catalogue.	Pad Foot  YORK	
 YKA20787031/01	York Leg Set Many Types of Legs are available. Please refer to your York Catalogue.	Compensating Foot  YORK	

Section 21 - Towing

FPA No	Description	Application	Alternate No
 ZJTBPC0091205	Drop Leg Top Wind Leg Capacity 800kg Extension 21"	JOST	
 ZJTBPC0091215	Drop Leg Top Wind Leg Capacity 800kg Extension 29"	JOST	
 ZJTBPC0091310	Drop Leg Top Wind Leg Capacity 3,300kg	JOST	
 ZJTBPC0091340	Drop Leg Side Wind Leg Capacity 3,300kg	JOST	
 ZJTBPC0091405	Drop Leg Side Wind Leg Capacity 4,500kg Dynamic Load	JOST	

Section 21 - Towing

FPA No	Description	Application	Alternate No
 ZJTA400	Jost A400 Series Leg Set Capacity 24 Tonne Travel 19" ZJTA400.A.19 ZJTA400.C.19 ZJTA400.G.19 ZJTA400.R.19 ZJTA400.T.19	JOST Air Suspension Compensating Feet Square Cushion Feet Wheel T Feet	
 ZJTD200A ZJTD200T	Jost Leg Set 480mm Lift Capacity 24 Tonne Shipping Weight 118kg Air Suspension T Foot - Flat Sandshoe	JOST	
 ZJTMODUL	Jost Modul Leg Set Heights: 02 = 850mm Lift = 520mm 03 = 800mm Lift = 470mm 05 = 700mm Lift = 400mm Foot Versions: 01 = S Foot Compensating 02 = A Foot Rocking 03 = R Wheel 04 = T Sand Shoe 06 = T Low Profile	JOST	
 HHPH16B	Holland Pintle Hook Rigid Mount - Duplex Drawbar Eye 60.4-76.2mm Diameter 50mm D-Value 20kN Hook 8,626kg Max GTW Ball 4,540kg Max GTW Weight 4.5kg	HOLLAND	ZJTBPCBH850MM
 HHDB040DQ1	Holland Pintle Hook Rigid Mount 4 Bolt Mounting Base Drawbar Eye 63.5mm D-Value TBA 18,160kg Max GTW Weight 6.3kg	Trailers, Semi Trailers, Doubles and On & Off Road Towing within Stated Capacities HOLLAND	

Section 21 - Towing

FPA No	Description	Application	Alternate No
 HHDB045BW1	Holland Pintle Hook Swivel Mount Drawbar Eye 60.4mm D-Value TBA 20,430kg Max GTW Weight 17.3kg	Trailers, Semi Trailers, Doubles and On & Off Road Towing within Stated Capacities HOLLAND	
 HHDB060FQ1	Holland Pintle Hook Rigid Mount 4 Bolt Mounting Base Drawbar Eye 76.2mm D-Value 165kN 27,240kg Max GTW Weight 8.6kg	Trailers, Semi Trailers, Doubles and On & Off Road Towing within Stated Capacities HOLLAND	
 HHPH300	Holland Pintle Hook Rigid Mount With Air Cushioned Snubber Drawbar Eye 60.4-76.2mm D-Value 165kN 32,688kg Max GTW Weight 19kg	Trailers, Semi Trailers, Doubles and On & Off Road Towing within Stated Capacities HOLLAND	
 HHPH775E	Holland Pintle Hook Swivel Mount No Lube Drawbar Eye 76.2mm D-Value TBA 45,400kg Max GTW Weight 25kg	Heavy Duty Construction, Logging, Milk Hauling and Off Road HOLLAND	
 HHPHT60A0L8	Holland Pintle Hook Rigid Mount 4 Bolt Mounting Base Drawbar Eye 50.8-76.2mm D-Value 35kN 13,620kg Max GTW Weight 5kg	Over the Road and Off- Road Towing within Stated Capacities HOLLAND	

Section 21 - Towing

FPA No	Description	Application	Alternate No
 ZJTBPCBDB1394	Tow Eye 45 Ton 3" Outside Dimension 4 Bolt Mounting	JOST	
 ZJTBPCBH850MM	Pintle Hook 8 Ton Dual Purpose Hitch with 50mm Ball	JOST	2331223
 ZJTBPCP45AC4K	Pintle Hook 45 Ton air compensated Complete Assembly	JOST	
 ZJTBPCPH15WMK	Pintle Hook 15 Ton Heavy Duty complet with Mounting Kit	JOST	2057115
 ZJTBPCPH20WMK	Pintle Hook 20 Ton Heavy Duty complete with Mounting Kit	JOST	2057114

Section 21 - Towing

FPA No	Description	Application	Alternate No
 ZJTBPCPH5WMK	Pintle Hook 5 Ton Light Duty complete with Mounting Kit	JOST	2056113
 ZJTBPCPH8WMK	Pintle Hook 8 Ton Medium Duty complete with Mounting Kit	JOST	2055112
 14991144	50mm Ringfeder Coupling Model 101 AUS D-Value 285kN Shipping Weight 50kg Repair Kit: 14991632	RINGFEDER Replaces Model 96 AUS Part No 14995500	ZJTROCKINGER500B ZTEGE506FO
 ZJTROCKINGER243	Tow Coupling 40mm Automatic Funnel Size 100 x 150mm	Compact Hitch for Light and Delivery Trucks JOST	
 ZJTROCKINGER244	Tow Coupling 40mm Manual	Compact Hitch for Industrial Trucks and Trailers JOST	

Section 21 - Towing

FPA No	Description	Application	Alternate No
 ZJTROCKINGER283	Trailer Hook Coupling Hook Trailer Hitch with Buffers and Safety Lock 76mm	JOST	
 ZJTROCKINGER805B	Tow Coupling Non Automatic Trailer Coupling and Flange Bearing	JOST	
 ZJTROCKINGER400	Tow Coupling Fully Automatic 40mm	JOST	
 ZJTROCKINGER500A	Tow Coupling Fully Air Operated 50mm Rating 260kN with 0 Download and 190kN with a 2.5 Ton Download	JOST	
 ZJTROCKINGER500B	Tow Coupling Fully Automatic 50mm Rating 260kN with 0 Download and 190kN with a 2.5 Ton Download	JOST	14991144 ZTEGE506FO

Section 21 - Towing

FPA No	Description	Application	Alternate No
 ZTEGE506FO	50mm V Orlandi Coupling Model GE506FO D-Value 280kN Shipping Weight 43.5kg	Hinged Drawbar Trailers V ORLANDI	14991144 ZJTROCKINGER500B
 ZTEEH521BTA	50mm V Orlandi Coupling Model EH521 D-Value 220kN Shipping Weight 41kg	Suits Tipping dog trailers V ORLANDI	
 ZTEGA380	40mm V Orlandi Coupling Model D-Value 30kN Hole Pattern 120 x 55mm Shipping Weight 5.3kg	Agricultural & Commercial Applications V ORLANDI	
 ZTEGA382	40mm V Orlandi Coupling Model D-Value 30kN Hole Pattern 83 x 56mm Shipping Weight 5.3kg	Agricultural & Commercial Applications V ORLANDI	
 LBC59AX	127MM Bartlett Coupling Kit D-Value 155kN Max ATM 24,000 kg SVL 5" Shipping Weight 12kg	Suits Rigid Drawbar (Pig) Trailers BARTLETT	

Section 21 - Towing

FPA No	Description	Application	Alternate No
 LBC59DX	127mm Bartett Ball Kit 5" Shipping Weight 13kg	Truck BARTLETT	
 LBC375AX	95mm Bartlett Coupling Kit D-Value 70kN Max ATM 7,000 kg SVL 3.7" Shipping Weight 6kg	Suits Rigid Drawbar (Pig) Trailers BARTLETT	
 LBC375DX	95mm Bartlett Ball Kit 3.7" Shipping Weight 7kg	Truck BARTLETT	